# **Contact Sheet**



## **Europe**

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



## Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



## Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

## **Sparex Export Markets**

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com



According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	B574	
Container size	50ml, 65ml, 250ml	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Adhesive.	
1.3. Details of the supplier of the safety data sheet		
Supplier		
	Bondloc UK Ltd	
	Unit 2 Bewdley Business Park	
	Long Bank	
	Bewdley	
	Worcestershire	
	DY12 2TZ	
	+44 (0)1299 269269	
	+44 (0)1299 269210	
	sales@bondloc.co.uk	
1.4. Emergency telephone number		
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards ident	ification	
2.1. Classification of the su	bstance or mixture	
Classification (EC 1272/200	08)	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation.	
	H317 May cause an allergic skin reaction.	
	H319 Causes serious eye irritation.	
	H335 May cause respiratory irritation	

H335 May cause respiratory irritation.

Precautionary statements	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Ethoxylated Bisphenol A Dimethacrylate, 2-hydroxypropyl methacrylate, $\alpha$ , $\alpha$ -dimethylbenzyl hydroperoxide, 1-Acetyl-2-phenylhydrazine
2.3. Other hazards	

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Ethoxylated Bisphenol A Dimethacrylate

CAS number: 41637-38-1

#### Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

#### Polyethylene Glycol 200 Dimethacrylate

CAS number: 26570-48-9

#### Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

#### 2-hydroxypropyl methacrylate

CAS number: 923-26-2

EC number: 213-090-3

#### Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317 10-30%

10-30%

30-60%

α,α-dimethylbenzyl hydroper		
CAS number: 80-15-9	EC number: 201-254-7	
Classification		
Org. Perox. E - H242		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
STOT RE 2 - H373		
Aquatic Chronic 2 - H411		
1-Acetyl-2-phenylhydrazine	<1%	
CAS number: 114-83-0		
Classification		
Acute Tox. 3 - H301		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
Titanium Dioxide	<1%	
CAS number: 13463-67-7		
<b>Classification</b> Not Classified		
SECTION 4: First aid measur	tements is displayed in Section 16.	
4.1. Description of first aid me		
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.	
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention.	
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist.	
4.2. Most important symptoms	s and effects, both acute and delayed	
Skin contact	May cause sensitisation by skin contact.	
Eye contact	Irritating. Conjunctivitis, irritation, tearing.	
	4.3. Indication of any immediate medical attention and special treatment needed	
	ate medical attention and special treatment needed	
	ate medical attention and special treatment needed Treat symptomatically.	

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

#### 5.2. Special hazards arising from the substance or mixture

 Hazardous combustion
 Oxides of carbon. Oxides of nitrogen. Irritating gases or vapours. Oxides of sulphur.

 products
 Oxides of carbon. Oxides of nitrogen. Irritating gases or vapours. Oxides of sulphur.

#### 5.3. Advice for firefighters

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective<br/>clothing.

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation. 6.2. Environmental precautions **Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Small Spillages: Wipe up with paper towels and place in container for disposal. Large Spillages: Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely. 6.4. Reference to other sections Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Usage precautions Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store at temperatures between 8°C and 21°C. Keep only in the original container. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

#### **Titanium Dioxide**

Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust WEL = Workplace Exposure Limit

#### 8.2. Exposure controls

Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves made of the following material: Nitrile rubber.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

9.1. Information on basic physical and chemical properties	
Appearance	Paste.
Colour	Orange.
Odour	Mild.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	>150°C @
Flash point	> 100°C
Evaporation rate	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	50000
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Strong acids. Strong oxidants
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	
Possibility of hazardous reactions	The following materials may react with the product: Strong acids. Strong oxidants
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decomposition products	

## Hazardous decomposition Irritating organic vapours products

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Toxicological effects	No information available.
Acute toxicity - oral ATE oral (mg/kg)	26,084.49278469
Acute toxicity - dermal ATE dermal (mg/kg)	110,000.0
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	300.0
Inhalation	May cause respiratory system irritation.
Ingestion	The product is considered to be a low hazard under normal conditions of use.
Skin contact	May cause sensitisation by skin contact.
Eye contact	Irritating to eyes.
SECTION 12: Ecological Information	
Ecotoxicity	There are no data on the ecotoxicity of this product.
12.1. Toxicity	
Ecotoxicity	
Toxicity	Low
12.2. Persistence and degrada	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	Not considered mobile.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Dispose of waste product or used containers in accordance with local regulations

## Waste class 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances. **SECTION 14: Transport information** General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(es) No transport warning sign required. 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous substance/marine pollutant No. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** legislation Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals

2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	12/11/2014
SDS number	4608

Hazard statements in full

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H242 Heating may cause a fire.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.